


CPF120IGMPX

Cooker, 120x60 cm, Portofino, Stainless steel, Hob type: Mixed, Type of main oven: Thermo-ventilated, Type of second oven: Thermo-ventilated, Direct steam, A+, A



DIRECT STEAM

The evaporation tray distributes steam inside the oven cavity, allowing you to create healthier dishes, minimise meat shrinkage and reduce cooking times.



TYPE

Product Family: Cooker • EAN code: 8017709278267 • Cleaning system: Pyrolytic • Cooker size: 120x60 cm • Main oven type: Thermo-ventilated • Hob type: Mixed • Type of second oven: Thermo-ventilated • Steam technology: Direct steam

AESTHETICS

Type of pan stands: Cast Iron • Plinth: Black • Storage compartment: Drawer • Hob colour: Stainless steel • Design: Flush fit • Control knobs: Smeg Portofino • Display: Touch • No. of controls: 11 • Door: With frame • Controls colour: Stainless steel • Aesthetics: Portofino • Command panel finish: Finger friendly stainless steel • Upstand: Yes • Glass type: Black • Handle: Smeg Portofino • Handle Colour: Brushed stainless steel • Colour: Stainless steel • Material: Stainless steel

PROGRAMME / FUNCTIONS

Traditional cooking functions: Static, Fan assisted, Fan forced, Turbo (circolaire + bottom + upper + fan), ECO, Small grill, Large grill, Fan grill (large), Fan assisted base • Cleaning functions: Pyrolytic

PROGRAMME / FUNCTIONS AUXILIARY OVEN

Traditional cooking functions, cavity 2: Static, Fan assisted, Fan forced, ECO, Large grill, Fan grill (large), Fan-assisted bottom • Cooking functions with Direct Steam technology: Termo-ventilato (Circolare + Ventola) • Cleaning functions cavity 2: Vapor Clean • Cooking functions cavity 2: 8

OPTIONS MAIN OVEN

End of cooking acoustic alarm: Yes • Timer: Yes • Minimum Temperature: 30 °C • Maximum temperature: 280 °C

OPTIONS AUXILIARY OVEN

Timer: Yes • End of cooking acoustic alarm: Yes • Minimum Temperature: 30 °C • Maximum temperature: 280 °C

HOB TECHNICAL FEATURES

4th zone dimensions: 21.1x19.1 cm • 5th zone booster power: 1.85 kW • Automatic electronic ignition: Yes • 5th zone dimensions: 21.0x19.0 cm • 4th zone type: Induction - multizone • 5th zone type: Induction - multizone • Multizone Option: Yes • 2nd zone type: Gas - Semi Rapid • Residual heat indicator: Yes • 3rd zone type: Gas - Rapid • 4th zone booster power: 2.30 kW • Minimum pan diameter indication: Yes • 2nd zone power: 1.80 kW • 1st zone power: 4.20 kW • 4th zone power: 2.10 kW • 3rd zone power: 3.00 kW • Automatic switch off when overheat: Yes • Type of gas burners: Standard • 5th zone power: 1.60 kW • Automatic pan detection: Yes • Total no. of cook zones: 6 • Selected zone indicator: Yes • 5th zone position: Rear right • 4th zone position: Front right • 3rd zone position: Rear centre • 1st zone type: Gas - 2UR (dual) • Burner caps: Matt black enamelled • 2nd zone position: Front centre • 1st zone position: Left centre

MAIN OVEN TECHNICAL FEATURES

Temperature control: Electro-mechanical • Type of shelves: Metal racks • Fan number: 1 • Door opening: Flap down • Lower heating element power: 1200 W • Full glass inner door: Yes • No. of lights: 2 • Door Lock During Pyrolysis: Yes • Cooling system: Tangential • Total no. of door glasses: 4 • Net volume of the cavity: 70 litres • Light Power: 40 W • Cavity material: Easy Clean enamel • Safety Thermostat: Yes • Soft Close system: Yes • Light when oven door is open: Yes • Grill type: Electric • No. of shelves: 5 • Upper heating element - Power: 1000 W • Removable inner door: Yes • Removable door: Yes • Heating suspended when door is opened: Yes • Grill element: 1700 W • Circular heating element - Power: 2000 W • Light type: Halogen • No. of thermo-reflective door glasses: 3 • Cooking time setting: Start and Stop • Large grill - Power: 2700 W

SECOND OVEN TECHNICAL FEATURES

Door opening: Flap down • Type of shelves: Metal racks • Lower heating element - power: 1200 W • No. of lights: 2 • Full glass inner door: Yes • Cooling system: Tangential • Net volume of the second cavity: 63 litres • No. total door glasses: 3 • Soft Close system: Yes • Light when oven door is open: Yes • Light Power: 40 W • Tilting grill: Yes • Cavity material: Easy Clean enamel • Safety Thermostat: Yes • No. of shelves: 5 • Grill type: Electric • Upper heating element - Power: 1000 W • Removable inner door: Yes • Removable door: Yes • Heating suspended when door is opened: Yes • Grill element - power: 1700 W • Large grill - Power: 2700 W • Light type: Halogen • No. thermo-reflective door glasses: 2 • Cooking time setting: Start and Stop • Temperature control: Electro-mechanical

PERFORMANCE / ENERGY LABEL

GAS - Energy consumption in fan-forced convection, first cavity: 2,45 MJ • Energy consumption zone 5: 178 Wh/Kg • Energy consumption zone 4: 180 Wh/Kg • GAS - Energy consumption conventional mode, first cavity: 3,92 MJ • Energy efficiency class: A+ • Energy consumption forced air convection (kWh) first cavity: 0,68 kWh • Energy consumption conventional first cavity (kWh): 1,09 kWh

PERFORMANCE /ENERGY LABEL - SECOND CAVITY

GAS - Energy consumption in forced air convection, second cavity: 2,77 MJ • Energy efficiency class, second cavity: A • GAS - Energy consumption in conventional mode, second cavity: 4,18 MJ • GAS - Energy consumption in forced air convection, second cavity: 0,77 kWh • GAS - Energy consumption in conventional mode, second cavity: 1,16 kWh

ELECTRICAL CONNECTION

Voltage: 220-240 V • Frequency: 50/60 Hz • Nominal power: 10900 W

GAS CONNECTION

Gas connection rating (W): 9000 W • Gas Type: G20 Natural gas

LOGISTIC INFORMATION

Net weight (kg): 156,5 kg • Dimensions of the product HxWxD (mm): 900x1200x600 mm • Width (mm): 1200 mm • Depth (mm): 600 mm • Product Height (mm): 900 mm

ACCESSORIES INCLUDED

Other gas nozzles included: G30 LPG liquid gas

ACCESSORIES INCLUDED FOR MAIN OVEN & HOB

Grill mesh: 1Telescopic Guide rails, partial Extraction: 1Top oven chrome shelf with back stop: 1Meat Probe: 120mm deep tray: 140mm deep tray: 1

ACCESSORIES INCLUDED FOR SECONDARY OVEN

Chrome shelf with back and side stop: 1Grill mesh: 120mm deep tray: 140mm deep tray: 1Telescopic Guide rails, partial Extraction: 1

OPTIONAL

PRTX: Pizza stone, Ovens, CookersPPR2: Pizza stone, Ovens, CookersBGTR4110: Grill, CookersWOKGHU: Reduction grid, Cookers, HobsKIT1CPF120X: Splashback, Cookers

