

Serie | 6, built-in double oven, Stainless steel MBA5785S6B











Optional accessories

HEZ531000 : HEZ531010 : HEZ538000 : HEZ634000 :

HEZ638300:

HEZ915003:

- The built-in oven with meatprobe and AutoPilot: automatically prepares your dishes to your liking
- AutoPilot 30: every dish is a perfect success thanks to 30 preset automatic programmes.
- Pop-out controls: for an easy to clean front.
- **Pyrolytic self-cleaning:** effortless cleaning thanks to pyrolytic cleaning programmes
- The smart oven that follows the recipe for you.

Technical Data

Color / Material Front : Stainless steel
Built-in / Free-standing : Built-in
Dimensions : 888 x 594 x 550

Dimensions of the packed product (HxWxD) (mm):

960 x 690 x 660

Control Panel Material : Stainless steel
Door Material : Glass
Net weight (kg) : 60.027
Usable volume (of cavity) - cavity 1 (l) : 71

Cooking method : Conventional

heat, Defrost, Full width grill, Hot Air, Hotair gentle, Hot

air grilling, low temperature cooking, Pizza setting, warming
Temperature control: electronic
Number of interior lights: 1
Approval certificates: CE, VDE
EAN code: 4242005185238
Energy efficiency rating:

Energy consumption per cycle conventional (2010/30/EC):

1.02

Energy consumption per cycle forced air convection (2010/30/ EC) : $0.81 \,$

Energy efficiency class (2010/30/EC) - cavity 2 : Energy consumption per cycle conventional - cavity 2 (2010/30/EC) : 0.83

Energy efficiency index (2010/30/EC): 95.3
Energy efficiency index cavity 2 (2010/30/EC): 120.3
Connection Rating (W): 6300
Current (A): 32
Voltage (V): 220-240
Frequency (Hz): 50
Plug type: fixed connection, no plug





Serie | 6, built-in double oven, Stainless steel MBA5785S6B

Design

- LCD-display control (white)
- Interior halogen light, Light on/off when oven door opened/
- Rotary dial, Retractable control dials, round
- Straight bar handle

Features

- Home Connect ready
- Electronic door lock Control panel lock Automatic safety switch off Residual heat indicator Door contact switch
- Digital temperature display with proposal Automatic start Heating-up indicator AutoPilot meat probe
- Electronic clock timer

Top oven additional features

- Cavity volume: 34 litre capacity
- Pyrolytic Cleaning in top oven
- Full glass inner door
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: bottom

Main oven additional features

- Cavity volume: 71 litre capacity
- Pyrolytic self-cleaning function
- Full glass inner door
- AutoPilot, 30
- Single-point meat probe
- 5 shelf positions
- Door hinge big cavity: Drop down door
- Oven with 4 heating methods: conventional top/bottom heat, Large-area grill, Small area grill, bottom heat
- Temperature range 30 °C 275 °C
- Oven with 9 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, pizza function, low temperature cooking, defrost, keep warm, Hotair gentle
- Temperature range 30 °C 275 °C
- Fast pre-heating function

Accessories

- 1 x combination grid, 1 x universal pan
- 1 set of level independent telescopic rails, Stop function

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): B (at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode: 0.83 kwh Number of cavities: Top Cavity
- Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B (at a range of energy efficiency classes from A+++ to D)
 - Energy consumption per cycle in conventional mode: 0.83 kWh
- Energy consumption per cycle in fan-forced convection mode: 0.81 kwh
- Number of cavities: Main Cavity
- Heat source: electrical
- Total connected load electric: 6.3 KW
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxd): 875 mm 888 mm x 560 mm 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual



Serie | 6, built-in double oven, Stainless steel MBA5785S6B



